



## FURON<sup>®</sup> HPVM VALVE

2 WAY MANUAL  
QUARTER-TURN  
3/16 & 1/4" ORIFICE

Furon HPVM Valves are compact and robust, offering superior performance with reliable on/off controls and reliability in applications involving aggressive chemistries or abrasive slurries. Featuring a compact footprint with common port height among all configurations, Furon HPVM Valves allow for ease of installation and optimum use of precious space. Additionally, Furon HPVM valves feature flow paths specially designed to minimize entrapment of liquids within the valve.

### APPLICATIONS

Furon HPVM Valves are ideal for use in the semiconductor industry, or other applications requiring high purity and/or superior chemical resistance.

- Designed for use in ultrapure deionized water and aggressive chemical applications
- Suitable for use in abrasive slurry
- Market applications include Semiconductor, Flat Panel, Photovoltaic, and Chemical Processing

### FEATURES AND BENEFITS

- Pressure rated up to 80 PSIG (552 kPa)
- Integral mounting base with top or bottom mount standard
- Panel mount feature is standard
- Leak detection port
- Common port height with multi-turn, pneumatic and 3-way versions
- High purity PFA and PTFE wetted flowpath
- HPVM valve designs have been successfully tested for more than 1 million cycles

# Furon® HPVM Valve 2-Way Manual Quarter-Turn

## SPECIFICATIONS

| Description    | End Connection Type      | Orifice |     | Port Size |     | A   |      |
|----------------|--------------------------|---------|-----|-----------|-----|-----|------|
|                |                          | in      | mm  | in        | mm  | in  | mm   |
| HPVM2-F44-M    | FlareGrip® II            | 1/4     | 6.4 | 1/4       | 6.4 | 3.5 | 89.9 |
| HPVM2-F46-M    | FlareGrip® II            |         |     | 3/8       | 9.5 | 3.7 | 94   |
| HPVM2-S30044-M | Nippon Pillar Super 300® |         |     | 1/4       | 6.4 | 2.7 | 68.6 |
| HPVM2-S30046-M | Nippon Pillar Super 300® |         |     | 3/8       | 9.5 | 3.1 | 78.7 |

\* Part number of the standard configuration for the product described in the description column.

## OPTIONS






- PFA Flare nuts (add -3)
- Additional end connections available:
  - FNPT
  - Grab Seal™
  - Tube End
- Lock Out, Tag Out (LOTO) toggle
- Custom manifold
- 3/16" (4.76 mm) orifice option

Please contact us for details

## TECHNICAL SPECIFICATIONS

|                       |  |
|-----------------------|--|
| Operating Pressure    | 80 psig (5.5 bar)  |
| Back Pressure         | 65 psig (4.5 bar)  |
| Flow                  | C <sub>v</sub> 0.70  |
| Operating Temperature | Ambient: 32°F to 158°F (0°C to 70°C)<br>Media: 32°F to 176°F (0°C to 80°C) |
| Body                  | PFA or PTFE  |
| Diaphragm             | PTFE   |
| Actuator Housing      | Polypropylene  |

HCl have been tested for more than 2.1 million cycles  
HF have been tested for more than 2.1 million cycles  
Tested for in slurry for more than 1.6 million cycles



## Saint-Gobain Performance Plastics

**China** (+86) 400 888 0198  
sales.PPSCN@saint-gobain.com

**Europe** (+33) 3 85 20 27 00  
quotes-clm@saint-gobain.com

**India** (+91) 76208 22999  
pplindia.hc@saint-gobain.com

**Japan** (+81) 3 6256 9703  
ls-japan@saint-gobain.com

**Korea** (+82) 2 6098 0180  
LS-Korea@saint-gobain.com

**Southeast Asia** (+66) 38 667 800  
cs.sgpplsea@saint-gobain.com

**Taiwan** (+886) 2 2503 4201  
Taiwan.ppl@saint-gobain.com

**United States** (+1) 800-833-5661  
gardengrovequoteteam@saint-gobain.com

**All Other Regions**  
www.furon.com



**NOTE:** This document is intended to provide information about the product to enable you to consider whether generally the Product meets your application need and is not intended to provide product specification. This document should not be considered a Product warranty or guaranty. To the extent this document mentions any tests done by Saint-Gobain, such tests are done under controlled laboratory circumstances and hence other factors in your use and application may impact such values. Saint-Gobain strongly recommends that you conduct practical tests simulating the conditions of your application to ensure that the product meets your requirements for your specific application

Furon®, FlareGrip® and Grab Seal™ are registered trademarks of Saint-Gobain Performance Plastics. Nippon Pillar Super 300® is a registered trademark of Nippon Pillar Packing Co.

**WARRANTY:** Saint-Gobain warranties that the Product will meet specifications at the time of delivery and honor such warranty claims for a period of 18 months after delivery. In the event that you are a distributor purchasing Saint-Gobain Product, any change to specification while in your control as a result of storage conditions or otherwise may cause the above warranty to be voided. THIS IS THE EXCLUSIVE WARRANTY AND IS EXPRESSLY IN LIEU OF ANY AND ALL OTHER OBLIGATIONS, GUARANTEES, WARRANTIES AND REPRESENTATIONS. SAINT-GOBAIN DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.